



2016-2017 School Year Immunization Law Minimum Dose Requirements



This dose grid may be used as a tool and does not supersede the Immunization Requirements for School and Daycare found at <http://www.scdhec.gov/health/disease/immunization/requirements.htm>. Doses documented on the immunization certificate must be valid doses according to accepted practice standards for the minimum age(s) and interval(s).

GRADE ¹	DT, DTaP, Td or Tdap ²	Tdap Booster ³	IPV or OPV ⁴	MEASLES ⁵ (RUBEOLA)	RUBELLA ⁶	MUMPS ⁷	HEP B ⁸	VARICELLA ⁹	Hib ¹⁰	PCV ¹¹
CD	4 doses	Not req.	3 doses	1 dose	1 dose	1 dose	3 doses	1 dose	Age approp.	Age approp.
5K	4 doses	Not req.	3 doses	2 doses	1 dose	1 dose	3 doses	2 doses	Not req.	Not req.
1	4 doses	Not req.	3 doses	2 doses	1 dose	1 dose	3 doses	2 doses	Not req.	Not req.
2	4 doses	Not req.	3 doses	2 doses	1 dose	1 dose	3 doses	2 doses	Not req.	Not req.
3	4 doses	Not req.	3 doses	2 doses	1 dose	1 dose	3 doses	1 dose	Not req.	Not req.
4	4 doses	Not req.	3 doses	2 doses	1 dose	1 dose	3 doses	1 dose	Not req.	Not req.
5	4 doses	Not req.	3 doses*	2 doses	1 dose	1 dose	3 doses	1 dose	Not req.	Not req.
6	4 doses	Not req.	3 doses*	2 doses	1 dose	1 dose	3 doses	1 dose	Not req.	Not req.
7	4 doses	1 dose	3 doses*	2 doses	1 dose	1 dose	3 doses	1 dose	Not req.	Not req.
8	4 doses	1 dose	3 doses*	2 doses	1 dose	1 dose	3 doses	1 dose	Not req.	Not req.
9	4 doses	1 dose	3 doses*	2 doses	1 dose	1 dose	3 doses	1 dose	Not req.	Not req.
10	4 doses	1 dose	3 doses*	2 doses	1 dose	1 dose	3 doses	1 dose	Not req.	Not req.
11	4 doses	Not req.	3 doses*	2 doses	1 dose	1 dose	3 doses	1 dose	Not req.	Not req.
12	4 doses	Not req.	3 doses*	2 doses	1 dose	1 dose	3 doses	1 dose	Not req.	Not req.

¹ CD (or Child Development) programs serving children in grades lower than 5K and within the school setting are regulated under the daycare law.

² A minimum of four (4) doses of any combination with at least one (1) dose on or after the fourth birthday is required for 5K-12th grade. For unvaccinated or incompletely vaccinated children 7 years of age and older, refer to currently published ACIP Catch-Up Schedule for number of doses necessary to complete diphtheria, tetanus, and pertussis series and meet this requirement.

³ One (1) dose received on or after the 7th birthday. Tdap is routinely administered at 11-12 years of age; however, if Tdap is needed at an earlier age, a dose administered on or after the seventh birthday will meet this requirement. *Please also encourage receipt of the following recommended adolescent and catch-up vaccines: meningococcal vaccine (MCV), Human Papillomavirus vaccine (HPV) and second dose of varicella vaccine.*

⁴ A minimum of three (3) doses of any combination with at least one (1) dose on or after the fourth birthday is required for Grades 5K-4. *Students in grades 5-12 are in compliance if: three (3) doses of OPV/IPV with one dose on or after the 4th birthday OR four (4) doses of OPV/IPV (all doses separated by at least 4 weeks) before the fourth birthday. Follow CDC recommendations for unvaccinated or incompletely vaccinated students 18 years of age and older.

⁵ Dose one of Measles (Rubeola) vaccine must be received on or after the first birthday. Second dose must be separated from the first by at least one month.

⁶ One dose of Rubella (German Measles) vaccine received on or after the first birthday.

⁷ One dose of Mumps vaccine received on or after the first birthday.

⁸ Third dose Hep B: received \geq 24 weeks of age and at least 16 weeks after 1st dose.

⁹ Two (2) doses of Varicella vaccine with both doses received on or after the first birthday or positive history of disease is required for Grades 5K-2. Students in 3rd-12th grades need (1) dose of Varicella vaccine received on or after the first birthday or positive history of disease. Minimum interval between dose #1 and #2: children <13 years of age separate by 12 weeks, however, if the second dose is administered at least 28 days following the first dose, the second dose does not need to be repeated. Children \geq 13 years of age separate dose #1 and #2 by 4 weeks.

¹⁰ Current age-appropriate Hib vaccination. For children 15-59 months of age who have not yet completed age-appropriate Hib vaccination, one (1) dose of *Haemophilus influenzae* Type b vaccine at or after 15 months of age is required.

¹¹ Current age-appropriate PCV vaccination. For children aged 24-59 months who have not yet completed any age-appropriate pneumococcal vaccination schedule (PCV13), one (1) dose of 13-valent pneumococcal conjugate vaccine (PCV13) on or after the 2nd birthday is required.